



BITOLA	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24
Passo	0,8	1,0	1,25	1,5	1,75	2,0	2,0	2,5	2,5	2,5	3,0
S	7,78	9,78	12,73	16,73	18,67	21,67	23,67	26,67	29,67	31,61	35,38
	8,00	10,00	13,00	17,00	19,00	22,00	24,00	27,00	30,00	32,00	36,00
G mín.	8,79	11,05	14,38	18,90	21,10	24,49	26,75	30,14	33,53	35,72	39,98
H	3,35	3,85	5,15	6,22	7,32	8,62	9,82	11,28	12,28	13,78	14,78
	3,65	4,15	5,45	6,58	7,68	8,98	10,18	11,71	12,72	14,21	15,21
Ø A mín.	6,90	8,90	11,60	15,60	17,40	20,50	22,50	25,30	28,20	30,00	33,60
R mín.	0,2	0,25	0,4	0,4	0,6	0,6	0,6	0,6	0,8	0,8	0,8
ØE	4,82	5,82	7,78	9,78	11,73	13,73	15,73	17,73	19,67	21,67	23,67
	5,00	6,00	8,00	10,00	12,00	14,00	16,00	18,00	20,00	22,00	24,00
F	0,15	0,15	0,15	0,15	0,15	0,15	0,20	0,20	0,20	0,20	0,20
	0,50	0,50	0,60	0,60	0,60	0,60	0,80	0,80	0,80	0,80	0,80
U máx.	4,0	5,0	6,25	7,5	8,75	10,0	10,0	12,5	12,5	12,5	15,0
K até 125	16,0	18,0	22,0	26,0	30,0	34,0	38,0	42,0	46,0	50,0	54,0
K acima 125	22,0	24,0	28,0	32,0	36,0	40,0	44,0	48,0	52,0	56,0	60,0